

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:22 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {8DED901E-AD76-4587-B1AD-EEAFD300D3FE}}	HideNewField: False
LastUpdated:	1/24/2011 1:52:52 PM	NameMap: Long binary data
OrderBy:	[dbo_AUTHORITY].[SORT_ORDER]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.AUTHORITY
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_AUTHORITY	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	1980	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 2
 Required: True
 SourceField: TITLE
 SourceTable: dbo_AUTHORITY
 TextAlign: General
 UnicodeCompression: False

DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 3
 ColumnWidth: 3405
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_AUTHORITY
 TextAlign: General
 UnicodeCompression: False

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 4
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_AUTHORITY
 TextAlign: General
 UnicodeCompression: False

SORT_ORDER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 5
 ColumnWidth: Default
 DataUpdatable: False

DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 5
Required: False
SourceField: SORT_ORDER
SourceTable: dbo_AUTHORITY
TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AUTHORITY_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AUTHORITY_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {0F5A8588-8F8A-413D-B3B1-10B00C7A4FF9}} HideNewField: False

LastUpdated: 10/29/2010 9:49:24 AM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.CATEGORIZED_INDEX TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1065	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_CATEGORIZED_INDEX	
TextAlign:	General	
UnicodeCompression:	False	
PARENT_NAME	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	825	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition:	2		
Required:	False		
SourceField:	PARENT_NAME		
SourceTable:	dbo_CATEGORIZED_INDEX		
TextAlign:	General		
UnicodeCompression:	False		
TITLE		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	4050		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	TITLE		
SourceTable:	dbo_CATEGORIZED_INDEX		
TextAlign:	General		
UnicodeCompression:	False		
INDICATOR_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2505		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	INDICATOR_NAME		
SourceTable:	dbo_CATEGORIZED_INDEX		
TextAlign:	General		
UnicodeCompression:	False		
SORT_ORDER		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	570		

DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_CATEGORIZED_INDEX
 TextAlign: General

MODIFIED_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 2235
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: MODIFIED_DATE
 SourceTable: dbo_CATEGORIZED_INDEX
 TextAlign: General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
CATEGORIZED_INDEX_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	CATEGORIZED_INDEX_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {37375AD5-FBAB-455C-B2DE-3FC797BE66AA}} LastUpdated: 3/2/2010 10:14:37 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.CHART Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_CHART	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_CHART	
UnicodeCompression:	False	

DESCRIPTION		Memo	
AllowZeroLength:	True		-
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	DESCRIPTION		
SourceTable:	dbo_CHART		
UnicodeCompression:	False		
SORT_ORDER		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	SORT_ORDER		
SourceTable:	dbo_CHART		
ACTIVE_FLAG		Text	1
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ACTIVE_FLAG		
SourceTable:	dbo_CHART		
UnicodeCompression:	False		
MODIFIED_DATE		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	MODIFIED_DATE
SourceTable:	dbo_CHART

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
CHART_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	CHART_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2
 GUID: {guid {3635C381-ED24-4302-9908-2A0A892C5325}} LastUpdated: 3/2/2010 10:14:37 AM
 NameMap: Long binary data OrderByOn: False
 Orientation: Left-to-Right RecordCount: -1
 SourceTableName: dbo.DATA_SOURCE Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_DATA_SOURCE	
UnicodeCompression:	False	
TEXT	Text	250
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TEXT	
SourceTable:	dbo_DATA_SOURCE	
UnicodeCompression:	False	

<p>SORT_ORDER</p> <p>AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 3 Required: False SourceField: SORT_ORDER SourceTable: dbo_DATA_SOURCE</p>	<p>Long Integer</p>	<p>4</p>
<p>ACTIVE_FLAG</p> <p>AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 4 Required: False SourceField: ACTIVE_FLAG SourceTable: dbo_DATA_SOURCE UnicodeCompression: False</p>	<p>Text</p>	<p>1</p>
<p>MODIFIED_DATE</p> <p>AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 5 Required: False SourceField: MODIFIED_DATE SourceTable: dbo_DATA_SOURCE</p>	<p>Date/Time</p>	<p>8</p>

Table Indexes

Name	Number of Fields
DATA_SOURCE_PK	1
Clustered:	False

DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATA_SOURCE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {CEAD6630-C420-44C2-A334-08FED6685BD4}} LastUpdated: 3/2/2010 10:14:37 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.DATA_SOURCE_TO_INDICATOR Updatable: False

Columns

Name	Type	Size
DATA_SOURCE_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	DATA_SOURCE_NAME	
SourceTable:	dbo_DATA_SOURCE_TO_INDICATOR	
UnicodeCompression:	False	
INDICATOR_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	INDICATOR_NAME	
SourceTable:	dbo_DATA_SOURCE_TO_INDICATOR	
UnicodeCompression:	False	

SORT_ORDER		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	False		
SourceField:	SORT_ORDER		
SourceTable:	dbo_DATA_SOURCE_TO_INDICATOR		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATA_SOURCE_TO_INDICATOR_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATA_SOURCE_TO_INDICATOR_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
DATA_SOURCE_NAME	Ascending
INDICATOR_NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {0E119CE7-3B11-482C-BDCA-400FFA3E898A}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.DATA_SOURCE_TO_INDICATOR_VIEW Updatable: False

Columns

Name	Type	Size
DATA_SOURCE_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	DATA_SOURCE_NAME	
SourceTable:	dbo_DATA_SOURCE_TO_INDICATOR_VIEW	
UnicodeCompression:	False	
INDICATOR_VIEW_NAME	Text	200
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	INDICATOR_VIEW_NAME	
SourceTable:	dbo_DATA_SOURCE_TO_INDICATOR_VIEW	
UnicodeCompression:	False	

SORT_ORDER AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DecimalPlaces: DisplayControl: OrdinalPosition: Required: SourceField: SourceTable:	False False Fixed Size General False Default Default False Auto Text Box 3 False SORT_ORDER dbo_DATA_SOURCE_TO_INDICATOR_VIEW	Long Integer	4
--	--	--------------	---

Table Indexes

Name	Number of Fields
DATA_SOURCE_TO_IND_VIEW_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATA_SOURCE_TO_IND_VIEW_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
DATA_SOURCE_NAME	Ascending
INDICATOR_VIEW_NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {2AB3FA95-96C4-4AD2-9353-EAE45F81B2B9}} HideNewField: False

LastUpdated: 5/6/2011 4:13:11 PM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.DATASET_CATEGORY TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2400	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_DATASET_CATEGORY	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

	OrdinalPosition:	2		
	Required:	True		
	SourceField:	TITLE		
	SourceTable:	dbo_DATASET_CATEGORY		
	TextAlign:	General		
	UnicodeCompression:	False		
LABEL			Text	100
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	False		
	SourceField:	LABEL		
	SourceTable:	dbo_DATASET_CATEGORY		
	TextAlign:	General		
	UnicodeCompression:	False		
DESCRIPTION			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	DESCRIPTION		
	SourceTable:	dbo_DATASET_CATEGORY		
	TextAlign:	General		
	UnicodeCompression:	False		
START_YEAR			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		

DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 5
Required: False
SourceField: START_YEAR
SourceTable: dbo_DATASET_CATEGORY
TextAlign: General

END_YEAR Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 6
Required: False
SourceField: END_YEAR
SourceTable: dbo_DATASET_CATEGORY
TextAlign: General

SORT_ORDER Long Integer 4

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 7
Required: False
SourceField: SORT_ORDER
SourceTable: dbo_DATASET_CATEGORY
TextAlign: General

ACTIVE_FLAG Text 1

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_DATASET_CATEGORY
 TextAlign: General
 UnicodeCompression: False

MODIFIED_DATE		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	MODIFIED_DATE		
SourceTable:	dbo_DATASET_CATEGORY		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATASET_CATEGORY_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATASET_CATEGORY_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:23 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {BA38AA70-D776-4279-B159-9984A964C5B7}}	HideNewField: False
LastUpdated:	5/6/2011 4:13:15 PM	NameMap: Long binary data
OrderBy:	[dbo_DATASET_CATEGORY_VALUE].[DATASET_CATEGORY_NAME]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.DATASET_CATEGORY_VALUE
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
DATASET_CATEGORY_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1875	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	DATASET_CATEGORY_NAME	
SourceTable:	dbo_DATASET_CATEGORY_VALUE	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	2		
	Required:	True		
	SourceField:	TITLE		
	SourceTable:	dbo_DATASET_CATEGORY_VALUE		
	TextAlign:	General		
	UnicodeCompression:	False		
VALUE			Text	100
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	True		
	SourceField:	VALUE		
	SourceTable:	dbo_DATASET_CATEGORY_VALUE		
	TextAlign:	General		
	UnicodeCompression:	False		
DESCRIPTION			Memo	-
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	3585		
	DataUpdatable:	False		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	DESCRIPTION		
	SourceTable:	dbo_DATASET_CATEGORY_VALUE		
	TextAlign:	General		
	UnicodeCompression:	False		
SORT_ORDER			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		

ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 5
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_DATASET_CATEGORY_VALUE
 TextAlign: General

ACTIVE_FLAG	Text	1
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	
SourceField:	ACTIVE_FLAG	
SourceTable:	dbo_DATASET_CATEGORY_VALUE	
TextAlign:	General	
UnicodeCompression:	False	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATASET_CATEGORY_VALUE_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATASET_CATEGORY_VALUE_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
DATASET_CATEGORY_NAME	Ascending
VALUE	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {EBB7ED79-7CDF-48DF-BC38-D84031EFA51F}} LastUpdated: 10/18/2010 11:18:04 AM

NameMap: Long binary data OrderBy: dbo_DATASET_SERIES.SORT_ORDER

OrderByOn: True Orientation: Left-to-Right

RecordCount: -1 SourceTableName: dbo.DATASET_SERIES

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2400	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_DATASET_SERIES	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3480	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_DATASET_SERIES	
UnicodeCompression:	False	

DESCRIPTION		Memo	
AllowZeroLength:	True		-
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	DESCRIPTION		
SourceTable:	dbo_DATASET_SERIES		
UnicodeCompression:	False		
SORT_ORDER		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	4		
Required:	False		
SourceField:	SORT_ORDER		
SourceTable:	dbo_DATASET_SERIES		
ACTIVE_FLAG		Text	1
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ACTIVE_FLAG		
SourceTable:	dbo_DATASET_SERIES		
UnicodeCompression:	False		
MODIFIED_DATE		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	MODIFIED_DATE
SourceTable:	dbo_DATASET_SERIES

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATASET_SERIES_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATASET_SERIES_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {1671661E-A4E9-4487-9BB0-F080AF8A46D9}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.DATASET_SERIES_VALUE Updatable: False

Columns

Name	Type	Size
DATASET_SERIES_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	DATASET_SERIES_NAME	
SourceTable:	dbo_DATASET_SERIES_VALUE	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_DATASET_SERIES_VALUE	
UnicodeCompression:	False	

NAME	DATA TYPE	LENGTH
VALUE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	True	
SourceField:	VALUE	
SourceTable:	dbo_DATASET_SERIES_VALUE	
UnicodeCompression:	False	
DESCRIPTION	Memo	-
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	4	
Required:	False	
SourceField:	DESCRIPTION	
SourceTable:	dbo_DATASET_SERIES_VALUE	
UnicodeCompression:	False	
SORT_ORDER	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	5	
Required:	False	
SourceField:	SORT_ORDER	
SourceTable:	dbo_DATASET_SERIES_VALUE	
ACTIVE_FLAG	Text	1
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	ACTIVE_FLAG
SourceTable:	dbo_DATASET_SERIES_VALUE
UnicodeCompression:	False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
DATASET_SERIES_VALUE_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	DATASET_SERIES_VALUE_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
DATASET_SERIES_NAME	Ascending
VALUE	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {A1B740D6-585B-4E48-90C7-C5605551F97F}} HideNewField: False

LastUpdated: 10/29/2010 9:27:17 AM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.HEALTHY_PEOPLE_OBJ_FOCUS_AREA TotalsRow: False

Updatable: False

Columns

Name	Type	Size
ID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	585	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	True	
SourceField:	ID	
SourceTable:	dbo_HEALTHY_PEOPLE_OBJ_FOCUS_AREA	
TextAlign:	General	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4440	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	

SourceField: TITLE
 SourceTable: dbo_HEALTHY_PEOPLE_OBJ_FOCUS_AREA
 TextAlign: General
 UnicodeCompression: False

DESCRIPTION Memo -
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_HEALTHY_PEOPLE_OBJ_FOCUS_AREA
 TextAlign: General
 UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
HEALTH_PEOP_OBJ_FOCUS_AREA_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	HEALTH_PEOP_OBJ_FOCUS_AREA_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {FD2276FC-292F-4EBB-852B-1C33E3ED2A89}} HideNewField: False

LastUpdated: 10/29/2010 9:27:14 AM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.HEALTHY_PEOPLE_OBJEC TIVE TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	975	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_HEALTHY_PEOPLE_OBJECTIVE	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	250
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	6105	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition:	2		
Required:	True		
SourceField:	TITLE		
SourceTable:	dbo_HEALTHY_PEOPLE_OBJECTIVE		
TextAlign:	General		
UnicodeCompression:	False		
FOCUS_AREA_ID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
OrdinalPosition:	3		
Required:	True		
SourceField:	FOCUS_AREA_ID		
SourceTable:	dbo_HEALTHY_PEOPLE_OBJECTIVE		
TextAlign:	General		
OBJECTIVE_NUMBER		Text	50
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	True		
SourceField:	OBJECTIVE_NUMBER		
SourceTable:	dbo_HEALTHY_PEOPLE_OBJECTIVE		
TextAlign:	General		
UnicodeCompression:	False		
DESCRIPTION		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		

IMESentenceMode: 3
 OrdinalPosition: 5
 Required: True
 SourceField: DESCRIPTION
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General
 UnicodeCompression: False

US_TARGET

Memo

-

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: True
 SourceField: US_TARGET
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General
 UnicodeCompression: False

STATE_TARGET

Memo

-

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: STATE_TARGET
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General
 UnicodeCompression: False

SORT_ORDER

Long Integer

4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False

DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 8
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General
 UnicodeCompression: False

MODIFIED_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: MODIFIED_DATE
 SourceTable: dbo_HEALTHY_PEOPLE_OBJECTIVE
 TextAlign: General

Table Indexes

Name	Number of Fields
HEALTHY_PEOPLE_OBJECTIVE_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	HEALTHY_PEOPLE_OBJECTIVE_PK

Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/23/2010 2:07:41 PM DefaultView: 2

DisplayViewsOnSharePointSit 1 Filter: ([dbo_INDICATOR].[NAME] Like "BirthEPHT*")

FilterOnLoad: False GUID: {guid {D1E5397F-5BEE-4320-8BBD-87A29C1DAB46}}

HideNewField: False LastUpdated: 6/13/2011 10:24:18 AM

NameMap: Long binary data OrderBy: [dbo_INDICATOR].[NAME], [dbo_INDICATOR].[OWNER_USER_ID], dbo_INDICATOR.SORT_ORDER

OrderByOn: True OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.INDICATOR TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2550	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E0520EE7-F163-4D3B-AB12-6C862138A680}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_INDICATOR	
TextAlign:	General	
UnicodeCompression:	False	
DESCRIPTION	Memo	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder: 2
ColumnWidth: 5190
DataUpdatable: False
GUID: {guid {D38CFAF1-06D5-406E-8C30-B6E58E5708E7}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: DESCRIPTION
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

DEFAULT_INDICATOR_VIEW_NAME Text 200

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 3
ColumnWidth: 3510
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {83285820-45FC-4C46-BA2A-912569157CC2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: DEFAULT_INDICATOR_VIEW_NAME
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

TITLE Text 250

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 4
ColumnWidth: 3870
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {4066857E-7D18-463D-B28C-22AC8B7068CB}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: True
SourceField: TITLE
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 6
ColumnWidth: 5790
DataUpdatable: False
GUID: {guid {104659AA-8B1D-4FBD-BD75-20E1686CE5A7}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: True
SourceField: DEFINITION
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

NUMERATOR

Memo

-

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 7
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {366B5BC0-3528-437B-8890-C116F6A904B5}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: True
SourceField: NUMERATOR
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

DENOMINATOR

Text

250

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 8
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {83330D5A-C252-4567-A24F-AE1C10F0B617}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: True
SourceField: DENOMINATOR

SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

DATA_NOTE Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 9
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {B3D2BCDD-742D-4C80-97EF-481A40C2060C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: DATA_NOTE
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

DATA_ISSUES Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 10
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {A475D474-6BAC-4652-9786-26BB8DAC07D8}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: DATA_ISSUES
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

DATA_SOURCE_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 11
 ColumnWidth: 1515
 DataUpdatable: False
 GUID: {guid {4F3FE144-BFA4-4FB3-B678-1612242BDD67}}
 IMEMode: 0

IMESentenceMode: 3
 OrdinalPosition: 10
 Required: True
 SourceField: DATA_SOURCE_DATE
 SourceTable: dbo_INDICATOR
 TextAlign: General

WHY_IMPORTANT Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 12
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {5DDBC69A-80A6-450F-8AEB-A10EA802A613}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: True
 SourceField: WHY_IMPORTANT
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

HEALTHY_PEOPLE_OBJECTIVE_NAME Text 100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 13
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {42A56B47-2BDD-4F25-BFEF-A4253B7E8D2F}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: HEALTHY_PEOPLE_OBJECTIVE_NAME
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

OTHER_OBJECTIVE_DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 14

ColumnWidth: Default
DataUpdatable: False
GUID: {guid {C310A2EB-3359-4FAC-8C4E-F30C5AC03D07}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: OTHER_OBJECTIVE_DESCRIPTION
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

HOW_DOING Memo -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 15
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {FA1A116F-C13D-479E-8CBC-AFB3B27694BA}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: HOW_DOING
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

STATE_VS_US Memo -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 16
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {5B9B5958-B548-4F88-9501-DA7753B09BBB}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: STATE_VS_US
SourceTable: dbo_INDICATOR
TextAlign: General
UnicodeCompression: False

WHAT_DOING Memo -

AggregateType: -1
AllowZeroLength: True
AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 17
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {9683A8F8-E3DB-4B45-82CB-448722668F94}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: WHAT_DOING
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

OTHER_PROGRAM_INFORMATION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 18
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {CF7E2FEC-55D0-4072-B1A1-5CB58ACA5045}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: OTHER_PROGRAM_INFORMATION
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

MORE_RESOURCES_TITLE Text 30

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 19
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {9C5B4254-8BEE-4CF0-B1DA-2DD806AF22CB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 18
 Required: False
 SourceField: MORE_RESOURCES_TITLE
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

SERVICES_AVAILABLE_TO_PUBLIC		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	20		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {8DBD92BB-F8F0-48C6-B328-FDD17A9E1FD6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	19		
Required:	False		
SourceField:	SERVICES_AVAILABLE_TO_PUBLIC		
SourceTable:	dbo_INDICATOR		
TextAlign:	General		
UnicodeCompression:	False		
RESOURCES_REFERENCES_LINKS		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	21		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {A8123AC3-0276-4928-9B17-A1DD81C83AE3}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	20		
Required:	False		
SourceField:	RESOURCES_REFERENCES_LINKS		
SourceTable:	dbo_INDICATOR		
TextAlign:	General		
UnicodeCompression:	False		
ORG_UNIT_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	22		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C6DDB919-D955-4833-9A09-A8471F817C6F}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	21		
Required:	False		

SourceField:	ORG_UNIT_NAME		
SourceTable:	dbo_INDICATOR		
TextAlign:	General		
UnicodeCompression:	False		
OWNER_USER_ID		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	5		
ColumnWidth:	2655		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {CDC2EA62-69B7-4032-BC5B-7261B8D8309E}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	22		
Required:	False		
SourceField:	OWNER_USER_ID		
SourceTable:	dbo_INDICATOR		
TextAlign:	General		
UnicodeCompression:	False		
STATUS_CODE		Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	23		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {0120B522-EF1C-4290-8E3F-CC12FB8ADAF4}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	23		
Required:	False		
SourceField:	STATUS_CODE		
SourceTable:	dbo_INDICATOR		
TextAlign:	General		
UnicodeCompression:	False		
STATUS_DATE		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	24		
ColumnWidth:	1455		

DataUpdatable: False
 GUID: {guid {7FFBD2A8-AC72-48CB-950C-FF6A944CAA00}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 24
 Required: False
 SourceField: STATUS_DATE
 SourceTable: dbo_INDICATOR
 TextAlign: General

PUBLISHED_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 25
 ColumnWidth: 1485
 DataUpdatable: False
 GUID: {guid {AEBEB1EC-30A6-4DDF-B076-6BA2B7407D91}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 25
 Required: False
 SourceField: PUBLISHED_DATE
 SourceTable: dbo_INDICATOR
 TextAlign: General

NOTE Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 26
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {CC3C9D05-E901-4813-95C0-1AC37DAC7773}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 26
 Required: False
 SourceField: NOTE
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

SORT_ORDER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: 27
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 GUID: {guid {CF357F31-9F76-44D4-902E-1D8189D68B33}}
 OrdinalPosition: 27
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_INDICATOR
 TextAlign: General

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 28
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {C4A2A1AB-3485-4F4C-9EBE-DE52DE9604FD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 28
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

MODIFIED_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 29
 ColumnWidth: 1575
 DataUpdatable: False
 GUID: {guid {5C9CAE35-5A73-40AD-AB65-69A6DFEFA2D9}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 29
 Required: False
 SourceField: MODIFIED_DATE
 SourceTable: dbo_INDICATOR
 TextAlign: General

MODIFIED_DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False

Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 30
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {9298D90E-17FB-4CA0-9CD7-14D69CB15F4D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 30
 Required: False
 SourceField: MODIFIED_DESCRIPTION
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

EVIDENCE_BASED_PRACTICES Memo -
 AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 31
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {C8AA0C0C-2A04-4CC6-BE2F-E6A71BC68567}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 31
 Required: False
 SourceField: EVIDENCE_BASED_PRACTICES
 SourceTable: dbo_INDICATOR
 TextAlign: General
 UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
INDICATOR_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:23 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {AF795398-4130-48DA-BDE8-FBFA3EA62FF4}}	HideNewField: False
LastUpdated:	5/19/2011 11:27:10 AM	NameMap: Long binary data
OrderBy:	[dbo_INDICATOR_EDITOR].[U OrderByOnSER_ID], [dbo_INDICATOR_EDITOR].[INDICATOR_NAME]	True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.INDICATOR_EDITOR
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
INDICATOR_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2865	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {050858E3-2183-4CA5-BD54-DE46690C7D66}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	INDICATOR_NAME	
SourceTable:	dbo_INDICATOR_EDITOR	
TextAlign:	General	
UnicodeCompression:	False	
USER_ID	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
DataUpdatable:	False	

DisplayControl: Text Box
GUID: {guid {DECF6899-6EB0-4A14-8FBD-64FC01728665}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: True
SourceField: USER_ID
SourceTable: dbo_INDICATOR_EDITOR
TextAlign: General
UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
INDICATOR_EDITOR_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_EDITOR_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
INDICATOR_NAME	Ascending
USER_ID	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {3120F35F-1C3A-4420-AFD5-1DB6C70CF482}} LastUpdated: 8/30/2010 3:54:38 PM

NameMap: Long binary data OrderBy: dbo_INDICATOR_RELATION.INDICATOR_NAME

OrderByOn: True Orientation: Left-to-Right

RecordCount: -1 SourceTableName: dbo.INDICATOR_RELATION

Updatable: False

Columns

Name	Type	Size
INDICATOR_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2865	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	INDICATOR_NAME	
SourceTable:	dbo_INDICATOR_RELATION	
UnicodeCompression:	False	
RELATION_NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1800	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	RELATION_NAME	
SourceTable:	dbo_INDICATOR_RELATION	
UnicodeCompression:	False	

TEXT		Memo	-
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	7845		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	True		
SourceField:	TEXT		
SourceTable:	dbo_INDICATOR_RELATION		
UnicodeCompression:	False		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
INDICATOR_RELATION_UK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_RELATION_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
INDICATOR_NAME	Ascending
RELATION_NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {76F4FEE6-A2D7-458D-8C10-BF743A1AD95B}} HideNewField: False

LastUpdated: 11/12/2010 1:00:03 PM NameMap: Long binary data

OrderBy: [dbo_INDICATOR_TO_IND_RELATION].[INDICATOR_NAME], [dbo_INDICATOR_TO_IND_RELATION].[RELATED_INDICATOR_NAME] OrderByOn: True

OrderByOnLoad: True Orientation: Left-to-Right

RecordCount: -1 SourceTableName: dbo.INDICATOR_TO_IND_RELATION

TotalsRow: False Updatable: False

Columns

Name	Type	Size
INDICATOR_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2940	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	INDICATOR_NAME	
SourceTable:	dbo_INDICATOR_TO_IND_RELATION	
TextAlign:	General	
UnicodeCompression:	False	
RELATION_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	1800
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	RELATION_NAME
SourceTable:	dbo_INDICATOR_TO_IND_RELATION
TextAlign:	General
UnicodeCompression:	False

RELATED_INDICATOR_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2865	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	True	
SourceField:	RELATED_INDICATOR_NAME	
SourceTable:	dbo_INDICATOR_TO_IND_RELATION	
TextAlign:	General	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
INDICATOR_TO_IND_RELATION_UK	3
Clustering:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_TO_IND_RELATION_UK
Primary:	True
Required:	True
Unique:	True
Fields:	
INDICATOR_NAME	Ascending
RELATION_NAME	Ascending
RELATED_INDICATOR_NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/23/2010 2:09:03 PM	DefaultView: 2
DisplayViewsOnSharePointSit 1		Filter: ([dbo_INDICATOR_VIEW].[NAME] Like "BirthEPHT*")
FilterOnLoad:	False	GUID: {guid {044E4E82-B7E2-4A0F-873B-5D1FCE3C3663}}
HideNewField:	False	LastUpdated: 6/13/2011 10:24:18 AM
NameMap:	Long binary data	OrderBy: [dbo_INDICATOR_VIEW].[NAME], [dbo_INDICATOR_VIEW].[SORT_ORDER], [dbo_INDICATOR_VIEW].[DATESET_CATEGORY_NAME]
OrderByOn:	True	OrderByOnLoad: True
Orientation:	Left-to-Right	RecordCount: -1
SourceTableName:	dbo.INDICATOR_VIEW	TotalsRow: False
Updatable:	False	

Columns

Name	Type	Size
NAME	Text	200
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	5070	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {11683BD6-2545-463C-A599-ECF040630B90}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_INDICATOR_VIEW	
TextAlign:	General	
UnicodeCompression:	False	
INDICATOR_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden: False
 ColumnOrder: 3
 ColumnWidth: 2160
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {96DC0156-2757-4B74-B0CB-73940449B3CB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 SourceField: INDICATOR_NAME
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 UnicodeCompression: False

DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 2
 ColumnWidth: 765
 DataUpdatable: False
 GUID: {guid {811908CE-FF6F-4646-A9D3-136CDD096ED2}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: False

TITLE Text 250

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 4
 ColumnWidth: 5145
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {B2C6EAE6-ED10-4650-BB6A-702BDE5D6A6D}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: True
 SourceField: TITLE
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 UnicodeCompression: False

SUB_TITLE		Text	250
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	5		
ColumnWidth:	8445		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {B432A6DB-27EC-4292-8850-3FC0C081B38D}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	True		
SourceField:	SUB_TITLE		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
Y_TITLE		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	8		
ColumnWidth:	3195		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {C0D354BD-7663-46CC-9D6B-46331020CF61}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	Y_TITLE		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
DATASET_SERIES_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	9		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {8B1383FE-7DDF-46C3-B64A-41889D237F23}}		
IMEMode:	0		
IMESentenceMode:	3		

OrdinalPosition:	7		
Required:	True		
SourceField:	DATASET_SERIES_NAME		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
DATASET_CATEGORY_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	10		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {56FA356B-47BF-4B10-BF19-134C5AD4D360}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	True		
SourceField:	DATASET_CATEGORY_NAME		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
CHART_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	11		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {115F848B-9974-4B30-A9D2-3E53D7E54EC8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	True		
SourceField:	CHART_NAME		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
VALUE_TYPE_NAME		Text	100
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		

ColumnOrder: 12
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {2141F701-F3D0-472B-8DD7-72856471DF91}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: VALUE_TYPE_NAME
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 UnicodeCompression: False

DATA_NOTE Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 13
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {FDDAF5B2-5810-48C2-BBBF-D083122FA706}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: DATA_NOTE
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: False

SUPPLEMENTAL_IMAGE_TITLE Text 250

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 14
 ColumnWidth: 1515
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {E7CB2935-73DA-4370-8CB6-177ECCFAC45C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: SUPPLEMENTAL_IMAGE_TITLE
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 UnicodeCompression: False

Column Name	Column Type	Column Length
SUPPLEMENTAL_IMAGE_URL	Memo	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	15	
ColumnWidth:	2955	
DataUpdatable:	False	
GUID:	{guid {381136B1-31AD-4967-84C8-C279FAD90337}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	13	
Required:	False	
SourceField:	SUPPLEMENTAL_IMAGE_URL	
SourceTable:	dbo_INDICATOR_VIEW	
TextAlign:	General	
TextFormat:	Plain Text	
UnicodeCompression:	False	
SORT_ORDER	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	17	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {BF3F813E-1F47-4245-806B-42F6F350A674}}	
OrdinalPosition:	14	
Required:	False	
SourceField:	SORT_ORDER	
SourceTable:	dbo_INDICATOR_VIEW	
TextAlign:	General	
NOTE	Memo	-
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	18	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {77419A2C-1625-49DD-A4FC-B9C22140AB5A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	15	
Required:	False	
SourceField:	NOTE	

SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
TextFormat:	Plain Text		
UnicodeCompression:	False		
ACTIVE_FLAG		Text	1
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	19		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {F1897BED-8309-488A-A315-3E8C0C0ADF66}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	16		
Required:	False		
SourceField:	ACTIVE_FLAG		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
UnicodeCompression:	False		
MODIFIED_DATE		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	20		
ColumnWidth:	Default		
DataUpdatable:	False		
GUID:	{guid {7B6DBBB9-3353-4BC2-BE8E-BDB5F26B1FE8}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	17		
Required:	False		
ShowDatePicker:	For dates		
SourceField:	MODIFIED_DATE		
SourceTable:	dbo_INDICATOR_VIEW		
TextAlign:	General		
MODIFIED_DESCRIPTION		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	21		
ColumnWidth:	Default		
DataUpdatable:	False		

GUID: {guid {A613AFCA-2F24-4E54-B8E7-41AA272BDE2B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 18
Required: False
SourceField: MODIFIED_DESCRIPTION
SourceTable: dbo_INDICATOR_VIEW
TextAlign: General
TextFormat: Plain Text
UnicodeCompression: False

PERIOD_TITLE Text 250

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 6
ColumnWidth: 1335
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {00BB59EE-8A32-4CE6-AB5D-FDCA357C62C2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 19
Required: True
SourceField: PERIOD_TITLE
SourceTable: dbo_INDICATOR_VIEW
TextAlign: General
UnicodeCompression: False

TARGET_VALUE Text 4

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 7
ColumnWidth: 720
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {BC123E0A-BBB9-480E-A596-227510D101E2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 20
Required: False
SourceField: TARGET_VALUE
SourceTable: dbo_INDICATOR_VIEW
TextAlign: General
UnicodeCompression: False

CHART_NARRATIVE Memo -

AggregateType: -1
AllowZeroLength: True

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 22
 ColumnWidth: Default
 DataUpdatable: False
 GUID: {guid {9DD66184-13B5-461B-80E1-950A69FA8ABD}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 21
 Required: False
 SourceField: CHART_NARRATIVE
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: False

SUPPLEMENTAL_IMAGE_NARRATIVE Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 16
 ColumnWidth: 3240
 DataUpdatable: False
 GUID: {guid {42479B63-15C9-4F34-864E-5ADA7451C403}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 22
 Required: False
 SourceField: SUPPLEMENTAL_IMAGE_NARRATIVE
 SourceTable: dbo_INDICATOR_VIEW
 TextAlign: General
 TextFormat: Plain Text
 UnicodeCompression: False

Table Indexes

Name	Number of Fields
INDICATOR_VIEW_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_VIEW_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 9/13/2010 3:27:00 PM DefaultView: 2

DisplayViewsOnSharePointSit 1 Filter: ([dbo_INDICATOR_VIEW_VALUE].[INDICATOR_VIEW_NAME] Like "CancerInc*")

FilterOnLoad: False GUID: {guid {6490A1BB-DC8D-4237-A5FB-3A75DD1881DA}}

HideNewField: False LastUpdated: 6/16/2011 3:35:24 PM

NameMap: Long binary data OrderBy: [dbo_INDICATOR_VIEW_VALUE].[DATASET_CATEGORY_VALUE], [dbo_INDICATOR_VIEW_VALUE].[INDICATOR_VIEW_NAME], [dbo_INDICATOR_VIEW_VALUE].[DATASET_SERIES_VALUE]

OrderByOn: True OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.INDICATOR_VIEW_VALUE TotalsRow: False

Updatable: False

Columns

Name	Type	Size
INDICATOR_VIEW_NAME	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	3510	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	INDICATOR_VIEW_NAME	
SourceTable:	dbo_INDICATOR_VIEW_VALUE	
TextAlign:	General	
UnicodeCompression:	False	
DATASET_SERIES_VALUE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 3
 ColumnWidth: 2520
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: False
 SourceField: DATASET_SERIES_VALUE
 SourceTable: dbo_INDICATOR_VIEW_VALUE
 TextAlign: General
 UnicodeCompression: False

DATASET_CATEGORY_VALUE Text 100

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 4
 ColumnWidth: 2220
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DATASET_CATEGORY_VALUE
 SourceTable: dbo_INDICATOR_VIEW_VALUE
 TextAlign: General
 UnicodeCompression: False

VALUE Text 20

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 5
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: VALUE
 SourceTable: dbo_INDICATOR_VIEW_VALUE
 TextAlign: General
 UnicodeCompression: False

LOWER_CONFIDENCE_VALUE Text 20

AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False 6 Default False Text Box 0 3 5 False LOWER_CONFIDENCE_VALUE dbo_INDICATOR_VIEW_VALUE General False		
UPPER_CONFIDENCE_VALUE		Text	20
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable: TextAlign: UnicodeCompression:	-1 True False Variable Length General False 7 Default False Text Box 0 3 6 False UPPER_CONFIDENCE_VALUE dbo_INDICATOR_VIEW_VALUE General False		
LABEL		Text	100
AggregateType: AllowZeroLength: AppendOnly: Attributes: CollatingOrder: ColumnHidden: ColumnOrder: ColumnWidth: DataUpdatable: DisplayControl: IMEMode: IMESentenceMode: OrdinalPosition: Required: SourceField: SourceTable:	-1 True False Variable Length General False 9 Default False Text Box 0 3 7 False LABEL dbo_INDICATOR_VIEW_VALUE		

TextAlign:	General		
UnicodeCompression:	False		
NUMERATOR		Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	10		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	8		
Required:	False		
SourceField:	NUMERATOR		
SourceTable:	dbo_INDICATOR_VIEW_VALUE		
TextAlign:	General		
UnicodeCompression:	False		
DENOMINATOR		Text	20
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	11		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	9		
Required:	False		
SourceField:	DENOMINATOR		
SourceTable:	dbo_INDICATOR_VIEW_VALUE		
TextAlign:	General		
UnicodeCompression:	False		
NOTE		Memo	-
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	8		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	10		

Required: False
 SourceField: NOTE
 SourceTable: dbo_INDICATOR_VIEW_VALUE
 TextAlign: General
 UnicodeCompression: False

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 2
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE
 TextAlign: General
 UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
__uniqueindex	3
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	__uniqueindex
Primary:	True
Required:	True
Unique:	True
Fields:	
INDICATOR_VIEW_NAME	Ascending
DATASET_SERIES_VALUE	Ascending
DATASET_CATEGORY_VALUE	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {37DF9528-F298-458A-BCDF-92733BD10337}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.INDICATOR_VIEW_VALUE_QUERY Updatable: False

Columns

Name	Type	Size
INDICATOR_VIEW_NAME	Text	200
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	INDICATOR_VIEW_NAME	
SourceTable:	dbo_INDICATOR_VIEW_VALUE_QUERY	
UnicodeCompression:	False	
DESCRIPTION	Memo	-
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	DESCRIPTION	
SourceTable:	dbo_INDICATOR_VIEW_VALUE_QUERY	
UnicodeCompression:	False	
QUERY_URL	Memo	-

```

AllowZeroLength:      True
AppendOnly:           False
Attributes:           Variable Length
CollatingOrder:      General
ColumnHidden:         False
ColumnOrder:          Default
ColumnWidth:          Default
DataUpdatable:        False
IMEMode:              0
IMESentenceMode:     3
OrdinalPosition:      3
Required:              False
SourceField:          QUERY_URL
SourceTable:          dbo_INDICATOR_VIEW_VALUE_QUERY
UnicodeCompression:   False

```

```

DATASET_SERIES_DIMENSION_NAME           Text           100

```

```

AllowZeroLength:      True
AppendOnly:           False
Attributes:           Variable Length
CollatingOrder:      General
ColumnHidden:         False
ColumnOrder:          Default
ColumnWidth:          Default
DataUpdatable:        False
DisplayControl:       Text Box
IMEMode:              0
IMESentenceMode:     3
OrdinalPosition:      4
Required:              False
SourceField:          DATASET_SERIES_DIMENSION_NAME
SourceTable:          dbo_INDICATOR_VIEW_VALUE_QUERY
UnicodeCompression:   False

```

```

DATASET_CATEGORY_DIMENSION_NAM         Text           100

```

```

AllowZeroLength:      True
AppendOnly:           False
Attributes:           Variable Length
CollatingOrder:      General
ColumnHidden:         False
ColumnOrder:          Default
ColumnWidth:          Default
DataUpdatable:        False
DisplayControl:       Text Box
IMEMode:              0
IMESentenceMode:     3
OrdinalPosition:      5
Required:              True
SourceField:          DATASET_CATEGORY_DIMENSION_NAM
SourceTable:          dbo_INDICATOR_VIEW_VALUE_QUERY
UnicodeCompression:   False

```

```

MEASURE_NAME                           Text           100

```

```

AllowZeroLength:      True
AppendOnly:           False
Attributes:           Variable Length

```

CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 6
 Required: False
 SourceField: MEASURE_NAME
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

SHOW_NEW_RECORDS_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: SHOW_NEW_RECORDS_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

SHOW_DIFFERENT_RECORDS_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 8
 Required: False
 SourceField: SHOW_DIFFERENT_RECORDS_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

SHOW_EQUAL_RECORDS_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False

ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 9
 Required: False
 SourceField: SHOW_EQUAL_RECORDS_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

SHOW_MISSING_RECORDS_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 10
 Required: False
 SourceField: SHOW_MISSING_RECORDS_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

SHOW_NULL_RECORDS_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 11
 Required: False
 SourceField: SHOW_NULL_RECORDS_FLAG
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

USE_OLD_VALUE_IF_NULL_FLAG Text 1

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: VALUE_FORMAT_PATTERN
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

NOTE

Memo

-

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 16
 Required: False
 SourceField: NOTE
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY
 UnicodeCompression: False

MODIFIED_DATE

Date/Time

8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 17
 Required: False
 SourceField: MODIFIED_DATE
 SourceTable: dbo_INDICATOR_VIEW_VALUE_QUERY

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
INDICATOR_VIEW_VALUE_QUERY_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	INDICATOR_VIEW_VALUE_QUERY_PK
Primary:	True
Required:	True
Unique:	True

Fields:

INDICATOR_VIEW_NAME Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {D723DE8B-EF43-43BE-AC2A-61E005852C8D}} HideNewField: False

LastUpdated: 11/4/2010 1:27:55 PM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.ORG_UNIT TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_ORG_UNIT	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 2
 Required: True
 SourceField: TITLE
 SourceTable: dbo_ORG_UNIT
 TextAlign: General
 UnicodeCompression: False

DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_ORG_UNIT
 TextAlign: General
 UnicodeCompression: False

CONTACT_TEXT Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: 3795
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: CONTACT_TEXT
 SourceTable: dbo_ORG_UNIT
 TextAlign: General
 UnicodeCompression: False

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_ORG_UNIT
 TextAlign: General
 UnicodeCompression: False

SORT_ORDER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_ORG_UNIT
 TextAlign: General

MODIFIED_DATE Date/Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 7
 Required: False
 SourceField: MODIFIED_DATE
 SourceTable: dbo_ORG_UNIT
 TextAlign: General

Table Indexes

Name	Number of Fields
ORG_UNIT_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ORG_UNIT_PK
Primary:	True

Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {7171B97C-B3A5-41BE-8310-2403A3851BCC}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.RELATION Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_RELATION	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_RELATION	
UnicodeCompression:	False	

<p>SORT_ORDER</p> <p>AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DecimalPlaces: Auto DisplayControl: Text Box OrdinalPosition: 3 Required: False SourceField: SORT_ORDER SourceTable: dbo_RELATION</p>	<p>Long Integer</p>	<p>4</p>
<p>ACTIVE_FLAG</p> <p>AllowZeroLength: True AppendOnly: False Attributes: Variable Length CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False DisplayControl: Text Box IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 4 Required: False SourceField: ACTIVE_FLAG SourceTable: dbo_RELATION UnicodeCompression: False</p>	<p>Text</p>	<p>1</p>
<p>MODIFIED_DATE</p> <p>AllowZeroLength: False AppendOnly: False Attributes: Fixed Size CollatingOrder: General ColumnHidden: False ColumnOrder: Default ColumnWidth: Default DataUpdatable: False IMEMode: 0 IMESentenceMode: 3 OrdinalPosition: 5 Required: False SourceField: MODIFIED_DATE SourceTable: dbo_RELATION</p>	<p>Date/Time</p>	<p>8</p>

Table Indexes

Name	Number of Fields
RELATION_PK	1
Clustered:	False

DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	RELATION_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:23 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {C6EF482A-5BE5-481F-95A4-FC9F344C8BB3}}	HideNewField: False
LastUpdated:	2/14/2011 3:14:54 PM	NameMap: Long binary data
OrderBy:	[dbo_ROLE].[NAME], [dbo_ROLE].[SORT_ORDER]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.ROLE
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_ROLE	
TextAlign:	General	
UnicodeCompression:	False	
TITLE	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	3210	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 2
 Required: True
 SourceField: TITLE
 SourceTable: dbo_ROLE
 TextAlign: General
 UnicodeCompression: False

DESCRIPTION Memo -

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 3
 ColumnWidth: 4080
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_ROLE
 TextAlign: General
 UnicodeCompression: False

ACTIVE_FLAG Text 1

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 4
 ColumnWidth: 960
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_ROLE
 TextAlign: General
 UnicodeCompression: False

SORT_ORDER Long Integer 4

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: 5
 ColumnWidth: 855
 DataUpdatable: False

DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	5
Required:	False
SourceField:	SORT_ORDER
SourceTable:	dbo_ROLE
TextAlign:	General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ROLE_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ROLE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:23 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {81BBDC03-247E-4B2F-8C82-D8E9DC023F58}}	HideNewField: False
LastUpdated:	2/14/2011 3:14:55 PM	NameMap: Long binary data
OrderBy:	[dbo_ROLE_TO_AUTHORITY].[ROLE_NAME]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.ROLE_TO_AUTHORITY
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
ROLE_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	ROLE_NAME	
SourceTable:	dbo_ROLE_TO_AUTHORITY	
TextAlign:	General	
UnicodeCompression:	False	
AUTHORITY_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2130	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

OrdinalPosition: 2
Required: True
SourceField: AUTHORITY_NAME
SourceTable: dbo_ROLE_TO_AUTHORITY
TextAlign: General
UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
ROLE_TO_AUTHORITY_PK	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	ROLE_TO_AUTHORITY_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
ROLE_NAME	Ascending
AUTHORITY_NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {45C73501-0545-467B-A84E-4D60AB25F993}} LastUpdated: 9/10/2010 6:20:58 PM

NameMap: Long binary data OrderBy: dbo_STATUS.SORT_ORDER

OrderByOn: True Orientation: Left-to-Right

RecordCount: -1 SourceTableName: dbo.STATUS

Updatable: False

Columns

Name	Type	Size
CODE	Text	1
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	CODE	
SourceTable:	dbo_STATUS	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_STATUS	
UnicodeCompression:	False	

DESCRIPTION		Memo	
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	DESCRIPTION		
SourceTable:	dbo_STATUS		
UnicodeCompression:	False		
AUTHORITY_NAME		Text	100
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	AUTHORITY_NAME		
SourceTable:	dbo_STATUS		
UnicodeCompression:	False		
ASSOCIATED_STATUS_CODES		Text	250
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	ASSOCIATED_STATUS_CODES		
SourceTable:	dbo_STATUS		
UnicodeCompression:	False		
SORT_ORDER		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		

Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DecimalPlaces: Auto
 DisplayControl: Text Box
 OrdinalPosition: 6
 Required: False
 SourceField: SORT_ORDER
 SourceTable: dbo_STATUS

ACTIVE_FLAG		Text	1
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
SourceField:	ACTIVE_FLAG		
SourceTable:	dbo_STATUS		
UnicodeCompression:	False		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
STATUS_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	STATUS_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
CODE	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {CF2A6903-A262-40F7-861A-C0C87EE1004D}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.SURVEY_RESPONSE Updatable: False

Columns

Name	Type	Size
ID	Text	20
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	ID	
SourceTable:	dbo_SURVEY_RESPONSE	
UnicodeCompression:	False	
COURTESY_TITLE	Text	4
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
SourceField:	COURTESY_TITLE	
SourceTable:	dbo_SURVEY_RESPONSE	
UnicodeCompression:	False	

FIRST_NAME		Text	40
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	FIRST_NAME	
	SourceTable:	dbo_SURVEY_RESPONSE	
	UnicodeCompression:	False	
MI		Text	2
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	MI	
	SourceTable:	dbo_SURVEY_RESPONSE	
	UnicodeCompression:	False	
LAST_NAME		Text	40
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	LAST_NAME	
	SourceTable:	dbo_SURVEY_RESPONSE	
	UnicodeCompression:	False	
TITLE		Text	3
	AllowZeroLength:	True	

AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: TITLE
SourceTable: dbo_SURVEY_RESPONSE
UnicodeCompression: False

ORG_TYPE Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
OrdinalPosition: 7
Required: False
SourceField: ORG_TYPE
SourceTable: dbo_SURVEY_RESPONSE

ORG_NAME Text 60

AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: ORG_NAME
SourceTable: dbo_SURVEY_RESPONSE
UnicodeCompression: False

ROLE Long Integer 4

AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False

	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	9		
	Required:	False		
	SourceField:	ROLE		
	SourceTable:	dbo_SURVEY_RESPONSE		
PHONE			Text	20
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	10		
	Required:	False		
	SourceField:	PHONE		
	SourceTable:	dbo_SURVEY_RESPONSE		
	UnicodeCompression:	False		
EMAIL_ADDRESS			Text	250
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	11		
	Required:	False		
	SourceField:	EMAIL_ADDRESS		
	SourceTable:	dbo_SURVEY_RESPONSE		
	UnicodeCompression:	False		
QUESTION			Memo	-
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	IMEMode:	0		

IMESentenceMode: 3
 OrdinalPosition: 12
 Required: False
 SourceField: QUESTION
 SourceTable: dbo_SURVEY_RESPONSE
 UnicodeCompression: False

NOTE Memo -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 13
 Required: False
 SourceField: NOTE
 SourceTable: dbo_SURVEY_RESPONSE
 UnicodeCompression: False

ENTRY_DATE Date/Time 8

AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 14
 Required: True
 SourceField: ENTRY_DATE
 SourceTable: dbo_SURVEY_RESPONSE

USER_IP_ADDRESS Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 15
 Required: False
 SourceField: USER_IP_ADDRESS
 SourceTable: dbo_SURVEY_RESPONSE

UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
SURVEY_RESPONSE_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	SURVEY_RESPONSE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {5C87BE66-79FE-4832-A1BA-89DE040B8476}} HideNewField: False

LastUpdated: 10/28/2010 3:33:56 PM NameMap: Long binary data

OrderByOn: False OrderByOnLoad: True

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.TITLE TotalsRow: False

Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2625	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_TITLE	
TextAlign:	General	
UnicodeCompression:	False	
TYPE	Text	1
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	

	OrdinalPosition:	2		
	Required:	False		
	SourceField:	TYPE		
	SourceTable:	dbo_TITLE		
	TextAlign:	General		
	UnicodeCompression:	False		
TEXT			Text	250
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	5745		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	IMEMode:	0		
	IMESentenceMode:	3		
	OrdinalPosition:	3		
	Required:	True		
	SourceField:	TEXT		
	SourceTable:	dbo_TITLE		
	TextAlign:	General		
	UnicodeCompression:	False		
SORT_ORDER			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	OrdinalPosition:	4		
	Required:	False		
	SourceField:	SORT_ORDER		
	SourceTable:	dbo_TITLE		
	TextAlign:	General		
ACTIVE_FLAG			Text	1
	AggregateType:	-1		
	AllowZeroLength:	True		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	DataUpdatable:	False		
	DisplayControl:	Text Box		

IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: ACTIVE_FLAG
 SourceTable: dbo_TITLE
 TextAlign: General
 UnicodeCompression: False

MODIFIED_DATE		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	MODIFIED_DATE		
SourceTable:	dbo_TITLE		
TextAlign:	General		

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
TITLE_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TITLE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

DisplayViewsOnSharePointSit 1 FilterOnLoad: False

GUID: {guid {9B0C1678-2E7F-4DCF-B79D-0AACC976D3B2}} HideNewField: False

LastUpdated: 3/3/2011 1:26:35 PM NameMap: Long binary data

OrderBy: [dbo_USER].[PASSWORD], [dbo_USER].[ID] OrderByOn: True

OrderByOnLoad: True Orientation: Left-to-Right

RecordCount: -1 SourceTableName: dbo.USER

TotalsRow: False Updatable: False

Columns

Name	Type	Size
ID	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2070	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {9EBF8D00-66BB-463E-94B1-9373585153A3}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	ID	
SourceTable:	dbo_USER	
TextAlign:	General	
UnicodeCompression:	False	
FULL_NAME	Text	250
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	2535	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {42D172EB-7108-49DB-A478-3005493AA31D}}	

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: True
SourceField: FULL_NAME
SourceTable: dbo_USER
TextAlign: General
UnicodeCompression: False

EMAIL_ADDRESS Text 250

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 3
ColumnWidth: 3300
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {86BBBBFB-DE0A-4587-A42D-BB297454B8AC}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: EMAIL_ADDRESS
SourceTable: dbo_USER
TextAlign: General
UnicodeCompression: False

PASSWORD Text 50

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: 4
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {34462E64-7B5E-437D-8C6F-25C85E16E45E}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: True
SourceField: PASSWORD
SourceTable: dbo_USER
TextAlign: General
UnicodeCompression: False

ACTIVE_FLAG Text 1

AggregateType: -1
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length

CollatingOrder: General
ColumnHidden: False
ColumnOrder: 5
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {C43BEC41-D5F6-46B3-9674-4D8835778B1C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: ACTIVE_FLAG
SourceTable: dbo_USER
TextAlign: General
UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
USER_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	USER_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
ID	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:23 AM DefaultView: 2

GUID: {guid {4FBEC04D-7001-48C6-9052-FD6B8ABD75A6}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.USER_LOG Updatable: False

Columns

Name	Type	Size
USER_ID	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	USER_ID	
SourceTable:	dbo_USER_LOG	
UnicodeCompression:	False	
ENTRY_DATE	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	ENTRY_DATE	
SourceTable:	dbo_USER_LOG	
STATUS	Text	50
AllowZeroLength:	True	

AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 SourceField: STATUS
 SourceTable: dbo_USER_LOG
 UnicodeCompression: False

USER_IP_ADDRESS Text 50

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 DisplayControl: Text Box
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: False
 SourceField: USER_IP_ADDRESS
 SourceTable: dbo_USER_LOG
 UnicodeCompression: False

DESCRIPTION Memo -

AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 DataUpdatable: False
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 5
 Required: False
 SourceField: DESCRIPTION
 SourceTable: dbo_USER_LOG
 UnicodeCompression: False

Table Indexes

Name	Number of Fields
__uniqueindex	1

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	__uniqueindex
Primary:	True
Required:	True
Unique:	True
Fields:	
ENTRY_DATE	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:37 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {20B71C77-68BB-478E-94DA-167F70676C90}}	HideNewField: False
LastUpdated:	2/17/2011 5:00:26 PM	NameMap: Long binary data
OrderBy:	[dbo_USER_TO_AUTHORITY].[AUTHORITY_NAME], [dbo_USER_TO_AUTHORITY].[USER_ID]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.USER_TO_AUTHORITY
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
USER_ID	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2085	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	USER_ID	
SourceTable:	dbo_USER_TO_AUTHORITY	
TextAlign:	General	
UnicodeCompression:	False	
AUTHORITY_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2100	
DataUpdatable:	False	
DisplayControl:	Text Box	

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: True
SourceField: AUTHORITY_NAME
SourceTable: dbo_USER_TO_AUTHORITY
TextAlign: General
UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
USER_TO_AUTHORITY_PK	2
Clustering:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	USER_TO_AUTHORITY_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
USER_ID	Ascending
AUTHORITY_NAME	Ascending

Properties

Attributes:	Password Saved, Linked ODBC Connect:	ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin
DateCreated:	3/2/2010 10:14:37 AM	DefaultView: 2
DisplayViewsOnSharePointSit	1	FilterOnLoad: False
GUID:	{guid {055DEEA1-3C8D-4297-B3F6-B7898CA99A52}}	HideNewField: False
LastUpdated:	2/17/2011 5:00:29 PM	NameMap: Long binary data
OrderBy:	[dbo_USER_TO_ROLE].[ROLE_NAME], [dbo_USER_TO_ROLE].[USER_ID]	OrderByOn: True
OrderByOnLoad:	True	Orientation: Left-to-Right
RecordCount:	-1	SourceTableName: dbo.USER_TO_ROLE
TotalsRow:	False	Updatable: False

Columns

Name	Type	Size
USER_ID	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2175	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	USER_ID	
SourceTable:	dbo_USER_TO_ROLE	
TextAlign:	General	
UnicodeCompression:	False	
ROLE_NAME	Text	100
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	2	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: True
SourceField: ROLE_NAME
SourceTable: dbo_USER_TO_ROLE
TextAlign: General
UnicodeCompression: False

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
USER_TO_ROLE_PK	2
Clustering:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	USER_TO_ROLE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
USER_ID	Ascending
ROLE_NAME	Ascending

Properties

Attributes: Password Saved, Linked ODBC Connect: ODBC;DSN=jdbc/doh_ibisph_admin_2;Description=Admin Version2;UID=ibisph_admin_owner_2;APP=Microsoft Office 2003;WSID=DOHERDRUNW514;DATABASE=ibisph_admin

DateCreated: 3/2/2010 10:14:37 AM DefaultView: 2

GUID: {guid {A6F944FE-0D29-4820-848E-87FDB705A0DB}} LastUpdated: 3/2/2010 10:14:38 AM

NameMap: Long binary data OrderByOn: False

Orientation: Left-to-Right RecordCount: -1

SourceTableName: dbo.VALUE_TYPE Updatable: False

Columns

Name	Type	Size
NAME	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	NAME	
SourceTable:	dbo_VALUE_TYPE	
UnicodeCompression:	False	
TITLE	Text	100
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	TITLE	
SourceTable:	dbo_VALUE_TYPE	
UnicodeCompression:	False	

DESCRIPTION		Memo	
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
SourceField:	DESCRIPTION		
SourceTable:	dbo_VALUE_TYPE		
UnicodeCompression:	False		
XSLT_FORMAT_PATTERN		Text	250
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	4		
Required:	False		
SourceField:	XSLT_FORMAT_PATTERN		
SourceTable:	dbo_VALUE_TYPE		
UnicodeCompression:	False		
JAVA_FORMAT_PATTERN		Text	250
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	JAVA_FORMAT_PATTERN		
SourceTable:	dbo_VALUE_TYPE		
UnicodeCompression:	False		
SORT_ORDER		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
OrdinalPosition:	6
Required:	False
SourceField:	SORT_ORDER
SourceTable:	dbo_VALUE_TYPE

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
VALUE_TYPE_PK	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	VALUE_TYPE_PK
Primary:	True
Required:	True
Unique:	True
Fields:	
NAME	Ascending